











| 掘削 (土砂)        |         | 計 算 書        |                     |                |     | 1/1 |
|----------------|---------|--------------|---------------------|----------------|-----|-----|
| 測 点<br>番 号     | 距 離     | 横断面積<br>法——長 | 平 均<br>横断面積<br>法——長 | 立 方 米<br>平 方 米 | 備 考 |     |
|                |         |              |                     |                |     |     |
| NO. 24         |         | 5.5          |                     |                |     |     |
|                | 20.000  |              | 7.70                | 154.0          |     |     |
| NO. 25         |         | 9.9          |                     |                |     |     |
|                | 13.770  |              | 9.90                | 136.3          |     |     |
| NO. 25 +13.770 |         | (9.9)        |                     |                |     |     |
|                | 3.590   |              | 4.95                | 17.8           |     |     |
| NO. 25 +17.360 |         | (0.0)        |                     |                |     |     |
|                | 2.640   |              | 0.00                | 0.0            |     |     |
| NO. 26         |         | 0.0          |                     |                |     |     |
|                | 20.000  |              | 0.10                | 2.0            |     |     |
| NO. 27         |         | 0.2          |                     |                |     |     |
|                | 20.000  |              | 2.10                | 42.0           |     |     |
| NO. 28         |         | 4.0          |                     |                |     |     |
|                | 20.000  |              | 6.85                | 137.0          |     |     |
| NO. 29         |         | 9.7          |                     |                |     |     |
|                | 20.000  |              | 13.30               | 266.0          |     |     |
| NO. 30         |         | 16.9         |                     |                |     |     |
|                | 20.000  |              | 17.80               | 356.0          |     |     |
| NO. 31         |         | 18.7         |                     |                |     |     |
|                | 5.250   |              | 18.70               | 98.2           |     |     |
| NO. 31 +5.250  |         | (18.7)       |                     |                |     |     |
|                | 1.570   |              | 10.00               | 15.7           |     |     |
| NO. 31 +6.820  |         | (1.3)        |                     |                |     |     |
|                | 13.180  |              | 1.30                | 17.1           |     |     |
| NO. 32         |         | 1.3          |                     |                |     |     |
|                | 20.000  |              | 0.65                | 13.0           |     |     |
| NO. 33         |         | 0.0          |                     |                |     |     |
|                | 14.430  |              | 0.00                | 0.0            |     |     |
| NO. 33 +14.430 |         | (0.0)        |                     |                |     |     |
|                |         |              |                     |                |     |     |
| 合 計            | 194.430 |              |                     | 1255.1         |     |     |

路床盛土（流用土）


## 計 算 書

1/1

| 測 点<br>番 号     | 距 離     | 横断面積<br>法——長 | 平 均<br>横断面積<br>法——長 | 立 方 米<br>平 方 米 | 備 考 |
|----------------|---------|--------------|---------------------|----------------|-----|
|                |         |              |                     |                |     |
| NO. 24         |         | 0.0          |                     |                |     |
|                | 20.000  |              | 0.00                | 0.0            |     |
| NO. 25         |         | 0.0          |                     |                |     |
|                | 13.770  |              | 0.00                | 0.0            |     |
| NO. 25 +13.770 |         | (0.0)        |                     |                |     |
|                | 3.590   |              | 6.85                | 24.6           |     |
| NO. 25 +17.360 |         | (13.7)       |                     |                |     |
|                | 2.640   |              | 13.70               | 36.2           |     |
| NO. 26         |         | 13.7         |                     |                |     |
|                | 20.000  |              | 10.05               | 201.0          |     |
| NO. 27         |         | 6.4          |                     |                |     |
|                | 20.000  |              | 3.45                | 69.0           |     |
| NO. 28         |         | 0.5          |                     |                |     |
|                | 20.000  |              | 0.25                | 5.0            |     |
| NO. 29         |         | 0.0          |                     |                |     |
|                | 20.000  |              | 0.00                | 0.0            |     |
| NO. 30         |         | 0.0          |                     |                |     |
|                | 20.000  |              | 0.00                | 0.0            |     |
| NO. 31         |         | 0.0          |                     |                |     |
|                | 5.250   |              | 0.00                | 0.0            |     |
| NO. 31 +5.250  |         | (0.0)        |                     |                |     |
|                | 1.570   |              | 0.05                | 0.1            |     |
| NO. 31 +6.820  |         | (0.1)        |                     |                |     |
|                | 13.180  |              | 0.10                | 1.3            |     |
| NO. 32         |         | 0.1          |                     |                |     |
|                | 20.000  |              | 2.20                | 44.0           |     |
| NO. 33         |         | 4.3          |                     |                |     |
|                | 14.430  |              | 4.30                | 62.0           |     |
| NO. 33 +14.430 |         | (4.3)        |                     |                |     |
|                |         |              |                     |                |     |
| 合 計            | 194.430 |              |                     | 443.2          |     |



| 測 点<br>番 号     | 距 離     | 横断面積<br>法 長 | 平 均<br>横断面積<br>法 長 | 立 方 米<br>平 方 米 | 備 考 |
|----------------|---------|-------------|--------------------|----------------|-----|
| NO. 24         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 25         |         | 9.38        |                    |                |     |
|                | 13.770  |             | 9.380              | 129.2          |     |
| NO. 25 +13.770 |         | (9.38)      |                    |                |     |
|                | 3.590   |             | 9.380              | 33.7           |     |
| NO. 25 +17.360 |         | (9.38)      |                    |                |     |
|                | 2.640   |             | 9.380              | 24.8           |     |
| NO. 26         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 27         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 28         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 29         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 30         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 31         |         | 9.38        |                    |                |     |
|                | 1.870   |             | 9.380              | 17.5           |     |
| NO. 31 +1.870  |         | (9.38)      |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
| 合 計            | 141.870 |             |                    | 1330.8         |     |



面積  $A = L \times B - \pi \times R^2 \div 2$

単位：m

| 番号 | 測点         |     | L     | B    | R    | 面積 (m <sup>2</sup> ) | 摘要 |
|----|------------|-----|-------|------|------|----------------------|----|
|    | NO. 26+5.8 | 付近左 | 12.30 | 3.31 | 3.21 | 24.5                 |    |
|    | NO. 28+5.0 | 付近右 | 12.28 | 3.31 | 3.21 | 24.5                 |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
| 合計 |            |     |       |      |      | 49.0                 |    |
|    |            |     |       |      |      |                      |    |



数 量 調 書

|               |     |               |           |
|---------------|-----|---------------|-----------|
| 工 種<br>(レベル2) | 擁壁工 | 種 別<br>(レベル3) | プレキャスト擁壁工 |
|---------------|-----|---------------|-----------|

|                                       |  |  |  |
|---------------------------------------|--|--|--|
| 1. プレキャスト擁壁 [フェンス穴付きL型擁壁 歩道用, H=1500] |  |  |  |
| 別紙調書より L= 4.0 = 4.0 m                 |  |  |  |
| 2. プレキャスト擁壁 [フェンス穴付きL型擁壁 歩道用, H=1600] |  |  |  |
| 別紙調書より L= 10.0 = 10.0 m               |  |  |  |
| 3. プレキャスト擁壁 [フェンス穴付きL型擁壁 歩道用, H=1700] |  |  |  |
| 別紙調書より L= 10.0 = 10.0 m               |  |  |  |
| 4. プレキャスト擁壁 [フェンス穴付きL型擁壁 歩道用, H=1800] |  |  |  |
| 別紙調書より L= 12.0 = 12.0 m               |  |  |  |
| 5. プレキャスト擁壁 [フェンス穴付きL型擁壁 歩道用, H=1900] |  |  |  |
| 別紙調書より L= 6.0 = 6.0 m                 |  |  |  |
| 6. プレキャスト擁壁 [フェンス穴付きL型擁壁 歩道用, H=2000] |  |  |  |
| 別紙調書より L= 12.0 = 12.0 m               |  |  |  |
|                                       |  |  |  |
|                                       |  |  |  |
|                                       |  |  |  |



| 床掘り            |         | 計 算 書        |                     |                |     | 1/1 |
|----------------|---------|--------------|---------------------|----------------|-----|-----|
| 測 点<br>番 号     | 距 離     | 横断面積<br>法——長 | 平 均<br>横断面積<br>法——長 | 立 方 米<br>平 方 米 | 備 考 |     |
|                |         |              |                     |                |     |     |
| NO. 24         |         | 0.0          |                     |                |     |     |
|                | 20.000  |              | 0.00                | 0.0            |     |     |
| NO. 25         |         | 0.0          |                     |                |     |     |
|                | 13.770  |              | 0.00                | 0.0            |     |     |
| NO. 25 +13.770 |         | (0.0)        |                     |                |     |     |
|                | 3.590   |              | 1.85                | 6.6            |     |     |
| NO. 25 +17.360 |         | (3.7)        |                     |                |     |     |
|                | 2.640   |              | 3.70                | 9.8            |     |     |
| NO. 26         |         | 3.7          |                     |                |     |     |
|                | 20.000  |              | 2.80                | 56.0           |     |     |
| NO. 27         |         | 1.9          |                     |                |     |     |
|                | 20.000  |              | 3.60                | 72.0           |     |     |
| NO. 28         |         | 5.3          |                     |                |     |     |
|                | 20.000  |              | 2.65                | 53.0           |     |     |
| NO. 29         |         | 0.0          |                     |                |     |     |
|                | 20.000  |              | 0.00                | 0.0            |     |     |
| NO. 30         |         | 0.0          |                     |                |     |     |
|                | 20.000  |              | 0.00                | 0.0            |     |     |
| NO. 31         |         | 0.0          |                     |                |     |     |
|                | 5.250   |              | 0.00                | 0.0            |     |     |
| NO. 31 +5.250  |         | (0.0)        |                     |                |     |     |
|                | 1.570   |              | 0.00                | 0.0            |     |     |
| NO. 31 +6.820  |         | (0.0)        |                     |                |     |     |
|                | 13.180  |              | 0.00                | 0.0            |     |     |
| NO. 32         |         | 0.0          |                     |                |     |     |
|                | 20.000  |              | 0.00                | 0.0            |     |     |
| NO. 33         |         | 0.0          |                     |                |     |     |
|                | 14.430  |              | 0.00                | 0.0            |     |     |
| NO. 33 +14.430 |         | (0.0)        |                     |                |     |     |
|                |         |              |                     |                |     |     |
| 合 計            | 194.430 |              |                     | 197.4          |     |     |

埋戻し

## 計 算 書

1/1

| 測 点<br>番 号     | 距 離     | 横断面積<br>法——長 | 平 均<br>横断面積<br>法——長 | 立 方 米<br>平 方 米 | 備 考 |
|----------------|---------|--------------|---------------------|----------------|-----|
| NO. 24         |         | 0.0          |                     |                |     |
|                | 20.000  |              | 0.10                | 2.0            |     |
| NO. 25         |         | 0.2          |                     |                |     |
|                | 13.770  |              | 0.20                | 2.8            |     |
| NO. 25 +13.770 |         | (0.2)        |                     |                |     |
|                | 3.590   |              | 1.30                | 4.7            |     |
| NO. 25 +17.360 |         | (2.4)        |                     |                |     |
|                | 2.640   |              | 2.40                | 6.3            |     |
| NO. 26         |         | 2.4          |                     |                |     |
|                | 20.000  |              | 1.85                | 37.0           |     |
| NO. 27         |         | 1.3          |                     |                |     |
|                | 20.000  |              | 2.95                | 59.0           |     |
| NO. 28         |         | 4.6          |                     |                |     |
|                | 20.000  |              | 2.35                | 47.0           |     |
| NO. 29         |         | 0.1          |                     |                |     |
|                | 20.000  |              | 0.15                | 3.0            |     |
| NO. 30         |         | 0.2          |                     |                |     |
|                | 20.000  |              | 0.10                | 2.0            |     |
| NO. 31         |         | 0.0          |                     |                |     |
|                | 5.250   |              | 0.00                | 0.0            |     |
| NO. 31 +5.250  |         | (0.0)        |                     |                |     |
|                | 1.570   |              | 0.00                | 0.0            |     |
| NO. 31 +6.820  |         | (0.0)        |                     |                |     |
|                | 13.180  |              | 0.00                | 0.0            |     |
| NO. 32         |         | 0.0          |                     |                |     |
|                | 20.000  |              | 0.00                | 0.0            |     |
| NO. 33         |         | 0.0          |                     |                |     |
|                | 14.430  |              | 0.00                | 0.0            |     |
| NO. 33 +14.430 |         | (0.0)        |                     |                |     |
| 合 計            | 194.430 |              |                     | 163.8          |     |



































下層路盤 (t=150)


## 計 算 書

1/1

| 測 点<br>番 号     | 距 離     | 横断面積<br>法 長 | 平 均<br>横断面積<br>法 長 | 立 方 米<br>平 方 米 | 備 考 |
|----------------|---------|-------------|--------------------|----------------|-----|
| NO. 24         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 25         |         | 9.38        |                    |                |     |
|                | 13.770  |             | 9.380              | 129.2          |     |
| NO. 25 +13.770 |         | (9.38)      |                    |                |     |
|                | 3.590   |             | 9.380              | 33.7           |     |
| NO. 25 +17.360 |         | (9.38)      |                    |                |     |
|                | 2.640   |             | 9.380              | 24.8           |     |
| NO. 26         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 27         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 28         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 29         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 30         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 31         |         | 9.38        |                    |                |     |
|                | 1.870   |             | 9.380              | 17.5           |     |
| NO. 31 +1.870  |         | (9.38)      |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
| 合 計            | 141.870 |             |                    | 1330.8         |     |

| 測 点<br>番 号     | 距 離     | 横断面積<br>法 長 | 平 均<br>横断面積<br>法 長 | 立 方 米<br>平 方 米 | 備 考 |
|----------------|---------|-------------|--------------------|----------------|-----|
| NO. 24         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 25         |         | 9.38        |                    |                |     |
|                | 13.770  |             | 9.380              | 129.2          |     |
| NO. 25 +13.770 |         | (9.38)      |                    |                |     |
|                | 3.590   |             | 9.380              | 33.7           |     |
| NO. 25 +17.360 |         | (9.38)      |                    |                |     |
|                | 2.640   |             | 9.380              | 24.8           |     |
| NO. 26         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 27         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 28         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 29         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 30         |         | 9.38        |                    |                |     |
|                | 20.000  |             | 9.380              | 187.6          |     |
| NO. 31         |         | 9.38        |                    |                |     |
|                | 1.870   |             | 9.380              | 17.5           |     |
| NO. 31 +1.870  |         | (9.38)      |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
|                |         |             |                    |                |     |
| 合 計            | 141.870 |             |                    | 1330.8         |     |

下層路盤 (t=150)、上層路盤 (t=200) 面積別計表



面積  $A = L \times B - \pi \times R^2 \div 2$

単位：m

| 番号 | 測点         |     | L     | B    | R    | 面積 (m <sup>2</sup> ) | 摘要 |
|----|------------|-----|-------|------|------|----------------------|----|
|    | NO. 26+5.8 | 付近左 | 12.30 | 3.31 | 3.21 | 24.5                 |    |
|    | NO. 28+5.0 | 付近右 | 12.28 | 3.31 | 3.21 | 24.5                 |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
|    |            |     |       |      |      |                      |    |
| 合計 |            |     |       |      |      | 49.0                 |    |
|    |            |     |       |      |      |                      |    |







