

数量一覧表

工事区分 (LEVEL1)	工 種 (LEVEL2)	種 別 (LEVEL3)	細 別 (LEVEL4)	規 格 (LEVEL5)	単位	数値	設計数量	積算数量	摘 要
道路改良	道路土工	掘削工	掘削		m3	10	786.6	790	
		残土処理工	残土等運搬整地		m3	10	907.0	910	
	排水構造物工	作業土工	床掘り		m3	10	245.6	250	
			埋戻し		m3	10	112.7	110	
		側溝工	管（函）渠型側溝	街渠縦断管（300×300）	m	1	554.3	554	
				横断暗渠（300×300）	m	1	25.9	26	
		集水樹・マンホール工	フレキャスト街渠樹	街渠縦断管樹 (B300/300用、H=600)	箇所	1	32.0	32	
	擁壁工	フレキャスト擁壁工	簡易土留柵	H=300	m	1	108.2	108	
				H=600	m	1	61.9	62	
				H=900	m	1	7.0	7	
	構造物撤去工	構造物取壊し工	舗装版切断	As舗装 t≤15cm	m	10	116.9	120	
			舗装版破碎	As舗装 t≤15cm	m2	1	278.6	279	
		運搬処理工	舗装版切断濁水運搬処理		式	1	1	1	
			As殻運搬処理		m3	1	13.9	14	
舗装	舗装工	透水性舗装工（歩道部）	フィルター層	再生砂 t=100mm	m2	10	1720.6	1720	
			路盤	RC-40 t=100mm	m2	10	1640.5	1640	
				RC-40 t=200mm	m2	1	80.1	80	
			表層	透水性As t=40mm	m2	10	1640.5	1640	
				透水性As t=50mm	m2	1	80.1	80	
		アスファルト舗装工（歩道部）	路盤	RC-40 t=250mm	m2	1	44.0	44	
				RC-40 t=300mm	m2	1	84.5	85	
			基層	再生粗粒度As t=50mm	m2	1	44.0	44	
				再生粗粒度As t=100mm	m2	1	84.5	85	
			表層	再生密粒度As t=50mm	m2	1	128.5	129	
		アスファルト舗装工（車道部）	間詰路盤工	RC-40 t=150mm	m2	1	183.8	184	
				RM-40 t=150mm	m2	1	183.8	184	

[illegible]

数量総括表

工 種	種 別	細 別	規 格	単位	数 量	備 考
道路土工	掘削工	掘削	オープンカット	m3	786.6	
	残土処理工	残土等運搬整地		m3	907.0	
排水構造物工	作業土工	床掘り	小規模	m3	245.6	
		埋戻し	小規模	m3	112.7	
	側溝工	管（函）渠型側溝	街渠縦断管（300×300）	m	554.3	
			横断暗渠（300×300）	m	25.9	
	集水樹・マンホール工	プラスチック街渠樹	街渠縦断管樹（B300/300用、H=600）	箇所	32.0	
擁壁工	プラスチック擁壁工	簡易土留柵	H=300	m	108.2	
			H=600	m	61.9	
			H=900	m	7.0	
構造物撤去工	構造物取壊し工	舗装版切断	As舗装 t≤15cm	m	116.9	
		舗装版破碎	As舗装 t≤15cm	m2	278.6	
	運搬処理工	舗装版切断濁水処理	中間処理後、最終処分場に搬入 [焼却又は熔融含まず]	m3	0.15	
		舗装版切断濁水運搬		台	1.0	
		As殻運搬処理		m3	13.9	
舗装工	透水性舗装工（歩道部）	フィルター層	再生砂 t=100mm	m2	1,720.6	
		路盤	RC-40 t=100mm	m2	1,640.5	
			RC-40 t=200mm	m2	80.1	
		表層	透水性As t=40mm	m2	1,640.5	
			透水性As t=50mm	m2	80.1	
	アスファルト舗装工（歩道部）	路盤	RC-40 t=250mm	m2	44.0	
			RC-40 t=300mm	m2	84.5	
		基層	再生粗粒度As t=50mm	m2	44.0	
			再生粗粒度As t=100mm	m2	84.5	2層
		表層	再生密粒度As t=50mm	m2	128.5	
	アスファルト舗装工（車道部）	間詰路盤工	RC-40 t=150mm	m2	183.8	
			RM-40 t=150mm	m2	183.8	
		不陸整正		m2	2,797.9	
		基層	再生粗粒度As t=50mm	m2	2,737.3	
		表層	再生密粒度As t=50mm	m2	60.6	
縁石工	縁石工	歩車道境界ブロック	A型（180/240×300×600）	m	514.6	
			A型 摺付部	m	12.0	

[illegible]

掘削（土砂）		計 算 書				1/1
測 点 番 号	距 離	横断面積 法——長	平 均 横断面積 法——長	立 方 米 平 方 米	備 考	
NO. 43 +5. 98		(2. 4)				
	14. 020		2. 40	33. 6		
NO. 44		2. 4				
	20. 000		2. 20	44. 0		
NO. 45		2. 0				
	20. 000		2. 00	40. 0		
NO. 46		2. 0				
	3. 690		2. 00	7. 4		
NO. 46 +3. 69		(2. 0)				
	16. 310		2. 25	36. 7		
NO. 47		2. 5				
	20. 000		2. 25	45. 0		
NO. 48		2. 0				
	20. 000		2. 00	40. 0		
NO. 49		2. 0				
	20. 000		2. 45	49. 0		
NO. 50		2. 9				
	20. 000		2. 45	49. 0		
NO. 51		2. 0				
	7. 200		2. 00	14. 4		
NO. 51 +7. 200		(2. 0)				
	12. 800		2. 30	29. 4		
NO. 52		2. 6				
	5. 000		2. 65	13. 3		
NO. 52 +5. 00		2. 7			IP2	
	15. 000		3. 05	45. 8		
NO. 53		3. 4				
	20. 000		3. 95	79. 0		
NO. 54		4. 5				
小 計	214. 020			526. 6		

[illegible]

床掘り（土砂）						計 算 書		1/2
測 点 番 号	距 離	横断面積 法——長	平 均 横断面積 法——長	立 方 米 平 方 米	備 考			
NO. 43 +5. 98		(0. 7)						
	14. 020		0. 70	9. 8				
NO. 44		0. 7						
	20. 000		0. 75	15. 0				
NO. 45		0. 8						
	20. 000		0. 80	16. 0				
NO. 46		0. 8						
	3. 690		0. 80	3. 0				
NO. 46 +3. 69		(0. 8)						
	16. 310		0. 80	13. 0				
NO. 47		0. 8						
	20. 000		0. 85	17. 0				
NO. 48		0. 9						
	20. 000		0. 85	17. 0				
NO. 49		0. 8						
	20. 000		0. 75	15. 0				
NO. 50		0. 7						
	20. 000		0. 80	16. 0				
NO. 51		0. 9						
	7. 200		0. 90	6. 5				
NO. 51 +7. 200		(0. 9)						
	12. 800		0. 85	10. 9				
NO. 52		0. 8						
	5. 000		0. 80	4. 0				
NO. 52 +5. 00		0. 8			IP2			
	15. 000		0. 80	12. 0				
NO. 53		0. 8						
	20. 000		0. 75	15. 0				
NO. 54		0. 7						
小 計	214. 020			170. 2				


測 点 号		距 離	横断面積 法——長	平 均 横断面積 法——長	立 方 米 平 方 米	備 考
NO. 54		20.000	0.7	0.75	15.0	
NO. 55		20.000	0.8	0.80	16.0	
NO. 56		20.000	0.8	0.80	16.0	
NO. 57		20.000	0.8	0.80	16.0	
NO. 58		15.500	0.8	0.80	12.4	
NO. 58 +15.50			(0.8)			
小 計		95.500			75.4	
合 計		309.52			245.6	

埋戻し（流用土）						計 算 書		1/2
測 点 番 号	距 離	横断面積 法——長	平 均 横断面積 法——長	立 方 米 平 方 米	備 考			
NO. 43 +5. 98		(0. 3)						
	14. 020		0. 30	4. 2				
NO. 44		0. 3						
	20. 000		0. 30	6. 0				
NO. 45		0. 3						
	20. 000		0. 30	6. 0				
NO. 46		0. 3						
	3. 690		0. 30	1. 1				
NO. 46 +3. 69		(0. 3)						
	16. 310		0. 55	9. 0				
NO. 47		0. 8						
	20. 000		0. 65	13. 0				
NO. 48		0. 5						
	20. 000		0. 40	8. 0				
NO. 49		0. 3						
	20. 000		0. 35	7. 0				
NO. 50		0. 4						
	20. 000		0. 45	9. 0				
NO. 51		0. 5						
	7. 200		0. 50	3. 6				
NO. 51 +7. 200		(0. 5)						
	12. 800		0. 40	5. 1				
NO. 52		0. 3						
	5. 000		0. 30	1. 5				
NO. 52 +5. 00		0. 3			IP2			
	15. 000		0. 30	4. 5				
NO. 53		0. 3						
	20. 000		0. 30	6. 0				
NO. 54		0. 3						
小 計	214. 020			84. 0				

[illegible]

区 間		計 算 式		数 量	摘 要
左側		(街渠縦断管 樹H=600)			
No. 43 +4. 09	No. 52 +7. 55	L= 183. 4 − 1. 00 × 10 =		173. 4 m	
		(街渠縦断管 樹H=600)			
No. 52 +18. 68	No. 58 +13. 66	L= 114. 9 − 1. 00 × 6 =		108. 9 m	
右側		(街渠縦断管 樹H=600)			
No. 43 +7. 88	No. 51 +7. 66	L= 159. 7 − 1. 00 × 9 =		150. 7 m	
		(街渠縦断管 樹H=600)			
No. 52 +2. 53	No. 58 +10. 86	L= 128. 3 − 1. 00 × 7 =		121. 3 m	
合 計				= 554. 3 m	

10.0m当り



呼び名	H1	H2	h	摘 要
● 300 × 300	503	440	300	
300 × 400	603	540	400	

[illegible]

横断暗渠 (300×300)

區間

計 算 式

数量

摘 要

左側

No. 52 +7.55

No. 52 +18. 68

$$L = 11.1$$
$$= 11.1 \text{ m}$$

右側

No. 51 +7. 66


No. 52 +2. 53

$$L = 14.8$$
$$= 14.8 \text{ m}$$


合 計

$$= 25.9 \text{ m}$$

10.0m当り

[illegible]

10.0箇所当り



呼び名	H	h	摘 要
● H=600	600	300	
H=700	700	400	


[illegible]

1/1

1/1

区 間		計 算 式		数 量	摘 要
左側					
No. 46 +8. 10	No. 46 +12. 10	L= 4. 0	=	4. 0 m	
No. 49 +11. 50	No. 50 +10. 00	L= 18. 5	=	18. 5 m	
右側					
No. 43 +10. 70	No. 43 +17. 70	L= 7. 0	=	7. 0 m	
No. 48 +1. 79	No. 49 +1. 58	L= 19. 7	=	19. 7 m	
No. 50 +7. 20	No. 50 +11. 20	L= 4. 0	=	4. 0 m	
No. 51 +19. 80	No. 54 +14. 80	L= 55. 0	=	55. 0 m	
合 計		=		108. 2 m	

10.0m当り



呼び名	H	h1	h2	摘 要
● h=300	600	300	300	
h=600	1200	600	600	
h=900	1800	900	900	

[illegible]

1/1

1/1

[illegible]

10.0m当り


寸 法 表

呼び名	H	h1	h2	摘 要
h=300	600	300	300	
● h=600	1200	600	600	
h=900	1800	900	900	

[illegible]

簡易土留柵 (H=900) 数量調書 1/1				
区 間		計 算 式		数 量 摘 要
右側				
No. 46 +5.00	No. 46 +12.00	L= 7.0	= 7.0 m	
合 計			= 7.0 m	

10.0m当り

[illegible]

舗装版破碎 [アスファルト舗装版、 $t \leq 15\text{cm}$]

区 間	計 算 式	数 量	摘 要
-----	-------	-----	-----

[illegible]

1/3

1. フィルター層 [再生砂、t=100mm] 歩道一般部・出入口部(1)				
左側 (計算書)	右側 (計算書)	出入口部(2) (面積別計表)	出入口部(3) (調書)	
A = 910.9 + 881.1 + 57.1 - 44.0 - 84.5 = 1,720.6 m2				
2. 路盤 (歩道部) [RC-40、t=100mm] 歩道一般部				
		出入口部(1) (フィルター層) (調書)		
A = 1720.6 - 80.1 = 1,640.5 m2				
3. 路盤 (歩道部) [RC-40、t=200mm] 出入口部(1)				
出入口部(1) (調書)				
A = 80.1 = 80.1 m2				
4. 表層 [透水性As、t=40mm] 歩道一般部				
歩道一般部 (路盤)				
A = 1640.5 = 1,640.5 m2				
5. 表層 [透水性As、t=50mm] 出入口部(1)				
出入口部(1) (調書)				
A = 80.1 = 80.1 m2				

3/3

工 種 (レベル2)	舗装工	種 別 (レベル3)	アスファルト舗装工（車道部）
---------------	-----	---------------	----------------


1. 間詰路盤工 [RC-40、t=150mm]			
間詰路盤工 (調書)			
A =	183.8	=	183.8 m2
2. 間詰路盤工 [RM-40、t=150mm]			
間詰路盤工 (調書)			
A =	183.8	=	183.8 m2
3. 不陸整正 [補足材なし]			
	車道 (計算書)	車道 (別計表)	取付道路 (調書)
A =	2680.3	+	57.0 + 60.6 = 2,797.9 m2
4. 基層 (車道部) [再生粗粒度As、t=50mm、ﾌﾟﾗｲﾑｺｰﾄ] 車道部			
	車道 (計算書)	車道 (別計表)	
A =	2680.3	+	57.0 = 2,737.3 m2
5. 表層 (車道部) [再生密粒度As、t=50mm、ﾌﾟﾗｲﾑｺｰﾄ] 取付道路			
	取付道路 (調書)		
A =	60.6	=	60.6 m2

歩道面積（左側）						計 算 書		1/2
測 点 番 号	距 離	横断面積 法 長	平 均 横断面積 法 長	立 方 米 平 方 米	備 考			
NO. 43 +3.07		(2.56)			平面図計測			
	16.93		2.69	45.5				
NO. 44		2.81						
	18.07		2.94	53.1				
NO. 44 +18.07		(3.06)						
	1.93		3.06	5.9				
NO. 45		3.06						
	20.00		3.06	61.2				
NO. 46		3.06						
	20.00		3.06	61.2				
NO. 47		3.06						
	20.00		3.06	61.2				
NO. 48		3.06						
	20.00		3.06	61.2				
NO. 49		3.06						
	20.00		3.06	61.2				
NO. 50		3.06						
	20.00		3.06	61.2				
NO. 51		3.06						
	20.00		3.06	61.2				
NO. 52		3.06						
	5.00		3.06	15.3				
NO. 52 +5.00		3.06			IP. 2			
	2.54		3.06	7.8				
NO. 52 +7.54		(3.06)						
小 計	184.47			556.0				


歩道面積（左側）		計 算 書				2/2
測 点 番 号	距 離	横断面積 法 長	平 均 横断面積 法 長	立 方 米 平 方 米	備 考	
NO. 52 +18.68		(3.06)				
	1.32		3.06	4.0		
NO. 53		3.06				
	20.00		3.06	61.2		
NO. 54		3.06				
	20.00		3.06	61.2		
NO. 55		3.06				
	20.00		3.06	61.2		
NO. 56		3.06				
	20.00		3.06	61.2		
NO. 57		3.06				
	20.00		3.06	61.2		
NO. 58		3.06				
	14.66		3.06	44.9		
NO. 58 +14.66		(3.06)				

歩道面積（右側）		計 算 書				1/2
測 点 番 号	距 離	横断面積 法 長	平 均 横断面積 法 長	立 方 米 平 方 米	備 考	
NO. 43 +6.84		(2.61)			平面図計測	
	13.16		2.71	35.7		
NO. 44		2.81				
	18.07		2.94	53.1		
NO. 44 +18.07		(3.06)				
	1.93		3.06	5.9		
NO. 45		3.06				
	20.00		3.06	61.2		
NO. 46		3.06				
	20.00		3.06	61.2		
NO. 47		3.06				
	20.00		3.06	61.2		
NO. 48		3.06				
	20.00		3.06	61.2		
NO. 49		3.06				
	20.00		3.06	61.2		
NO. 50		3.06				
	20.00		3.06	61.2		
NO. 51		3.06				
	7.66		3.06	23.4		
NO. 51 +7.66		(3.06)				
小 計	160.82			485.3		


歩道面積（右側）						計 算 書		2/2
測 点 番 号	距 離	横断面積 法 長	平 均 横断面積 法 長	立 方 米 平 方 米	備 考			
NO. 52 +2. 53		(3. 06)						
	2. 47		3. 06	7. 6				
NO. 52 +5. 00		3. 06			IP. 2			
	15. 00		3. 06	45. 9				
NO. 53		3. 06						
	20. 00		3. 06	61. 2				
NO. 54		3. 06						
	20. 00		3. 06	61. 2				
NO. 55		3. 06						
	20. 00		3. 06	61. 2				
NO. 56		3. 06						
	20. 00		3. 06	61. 2				
NO. 57		3. 06						
	20. 00		3. 06	61. 2				
NO. 58		3. 06						
	11. 87		3. 06	36. 3				
NO. 58 +11. 87		(3. 06)						
小 計	129. 34			395. 8				
合 計	290. 16			881. 1				

単位：m²

番号	測 点	計 算 式	面積 (m ²)	摘要
	NO. 43+2.0	付近左側	5.36	
	NO. 43+5.0	付近右側	5.36	
小 計			10.72	

単位：m²

番号	測 点		計 算 式	面積 (m ²)	摘要
	NO. 52+9.0	付近左側		8.03	
	NO. 52+17.0	付近左側		7.61	
	NO. 51+9.0	付近右側		7.61	
	NO. 52+1.0	付近右側		7.61	
小 計				30.86	




單位：m2

番号	測 点	計 算 式	面積 (㎡)	摘要
	N0. 58+16. 0	付近左側	7. 72	
	N0. 58+13. 0	付近右側	7. 79	
小 計			15. 51	
合 計			57. 1	


車道面積		計 算 書				1/2
測 点 番 号	距 離	横断面積 法 長	平 均 横断面積 法 長	立 方 米 平 方 米	備 考	
NO. 43 +5. 98		(9. 08)				
	14. 02		9. 080	127. 3		
NO. 44		9. 08				
	20. 00		8. 830	176. 6		
NO. 45		8. 58				
	20. 00		8. 580	171. 6		
NO. 46		8. 58				
	20. 00		8. 580	171. 6		
NO. 47		8. 58				
	20. 00		8. 580	171. 6		
NO. 48		8. 58				
	20. 00		8. 580	171. 6		
NO. 49		8. 58				
	20. 00		8. 580	171. 6		
NO. 50		8. 58				
	20. 00		8. 580	171. 6		
NO. 51		8. 58				
	20. 00		8. 580	171. 6		
NO. 52		8. 58				
	5. 00		8. 580	42. 9		
NO. 52 +5. 00		8. 58			IP2	
	15. 00		8. 580	128. 7		
NO. 53		8. 58				
	20. 00		8. 580	171. 6		
NO. 54		8. 58				
	20. 00		8. 580	171. 6		
NO. 55		8. 58				
小 計	234. 02			2019. 9		
合 計						

[illegible]



単位：m2

番号	測 点		計 算 式	面積 (m ²)	摘要
	NO. 52+13.0	付近左側		18.64	
	NO. 51+15.0	付近右側		32.37	
小 計				51.01	



単位：m2

番号	測 点	計 算 式	面積 (m ²)	摘要
	NO. 58+17.0	付近左側	1.82	
	NO. 58+15.0	付近右側	4.16	
小 計			5.98	
合 計			57.0	

数量調書


1/1

工 種 (レベル2)	縁石工	種 別 (レベル3)	縁石工
---------------	-----	---------------	-----

1. 歩車道境界ブロック [歩車道境界工A型 (180/240×300×600)] 一般部			
(調書)			
L= 514.6		= 514.6 m	
2. 歩車道境界ブロック [歩車道境界工A型] 摺付部			
(調書)			
L= 12.0		= 12.0 m	
3. 歩車道境界ブロック [歩車道境界工A型] 端末部			
(調書)			
L= 3.6		= 3.6 m	
4. 歩車道境界ブロック [歩車道境界工B型 (223/240×70/100×600)] 乗入部			
(調書)			
L= 57.0		= 57.0 m	
5. 歩車道境界ブロック [歩車道境界工C型 (226/240×70×600)] 巻込部・横断歩道部			
(調書)			
L= 22.8		= 22.8 m	
6. 地先境界ブロック [地先境界工A型 (150×150×600)] 一般部			
(調書)			
L= 537.8		= 537.8 m	
7. 地先境界ブロック [地先境界工B型 (150×150×600)] 乗入部			
(調書)			
L= 69.0		= 69.0 m	


区 間		計 算 式								数 量 摘 要		
左側		(摺付部) (端末部) (B型)										
No. 43 +4.09	No. 52 +7.55	L=	183.4	－	3.6	－	0.6	－	18.2	=	161.0 m	
		(摺付部) (端末部) (B型)										
No. 52 +18.68	No. 58 +13.53	L=	114.8	－	3.6	－	1.2	－	12.6	=	97.4 m	
右側		(摺付部) (端末部) (B型)										
No. 43 +7.88	No. 51 +7.66	L=	159.7	－	3.6	－	0.6	－	22.0	=	133.5 m	
		(摺付部) (端末部) (B型)										
No. 52 +2.53	No. 58 +11.87	L=	129.3	－	1.2	－	1.2	－	4.2	=	122.7 m	

10.0m当り

[illegible]


区 間		計 算 式		数 量	摘 要
左側					
No. 43 +4. 09	No. 52 +7. 55	L= 4. 20 × 1 + 6. 00 × 1			
		+ 8. 00 × 1	= 18. 2 m		
No. 52 +18. 68	No. 58 +13. 53	L= 4. 20 × 3	= 12. 6 m		
右側					
No. 43 +7. 88	No. 51 +7. 66	L= 6. 00 × 1 + 8. 00 × 2. 00	= 22. 0 m		
No. 52 +2. 53	No. 58 +11. 87	L= 4. 20 × 1	= 4. 2 m		
合 計			= 57. 0 m		

10.0m当り

[illegible]

区 間		計 算 式		数 量	摘 要
左側		(巻込部)			
No. 43 +4.09	No. 52 +11.18	L= 5.48	=	5.5 m	
		(巻込部)			
No. 52 +15.18	No. 58 +14.66	L= 5.35 + 1.13	=	6.5 m	
右側		(巻込部)			
No. 43 +7.88	No. 51 +11.16	L= 5.35	=	5.4 m	
		(巻込部)			
No. 51 +19.03	No. 58 +15.37	L= 5.35	=	5.4 m	
合 計		=		22.8 m	

10.0m当り

[illegible]

地先境界工A型(150×150×600)

區 間

計 算 式

数量

摘 要

左側

(B型)

No. 43 +4. 09

No. 52 +11.18

$$L = 187.0 - 21.8$$
$$= 165.2 \text{ m}$$

(B型)

No. 52 +15. 18

No. 58 +17.12

$$L = 121.9 - 16.2$$
$$= 105.7 \text{ m}$$

右側

(B型)

No. 43 +7.88

No. 51 +11.16

$$L = 163.2 - 25.6$$
$$= 137.6 \text{ m}$$

(B型)

No. 51 +19.03

No. 58 +13.80

$$L = 134.7 - 5.4$$
$$= 129.3 \text{ m}$$


合計

$$= 537.8 \text{ m}$$


数量計算書

地先境界工A型(150×150×600)

10.0m当り

[illegible]

10.0m当り

[illegible]

実線、白色、W=15cm

数 量 調 書

1/1

区 間		計 算 式		数 量	摘 要
外側線					
No. 51 +11. 44	No. 52 +11. 82	L= 34. 72	=	34. 7 m	
No. 51 +15. 44	No. 52 +14. 82	L= 33. 11	=	33. 1 m	
合 計			=	67. 8 m	

1/1

1/1

区 間		計 算 式		数 量	摘 要
左側					
No. 43 +3.09	No. 52 +7.55	N= 19.0	=	19.0 個	
No. 52 +18.68	No. 58 +13.66	N= 12.0	=	12.0 個	
右側					
No. 43 +6.88	No. 51 +7.66	N= 15.0	=	15.0 個	
No. 52 +2.53	No. 58 +10.86	N= 14.0	=	14.0 個	
合 計		=		60.0 個	

